Author Index of Volume 127

Abu-Samn, R., L5
Addy, P., L19
Aguiló, M., 153
Alessio, E., 103
Al-Najjar, I. M., L47
Alvarez, S., 153
Al-Wassil, A., L5
Anderegg, G., 183

Baker, P. K., L17
Bayer, E., 183
Bhatia, S., 141
Biagini Cingi, M., 189
Bino, A., 95
Bonati, F., 87
Boschi, T., 169
Botao Zhuang, L7
Brittain, H. G., 229
Brücher, E., 113

Calligaris, M., 103
Calogero, S., 87
Camalli, M., 209
Campana, L., 103
Campbell, M. J. M., L17
Caruso, F., 209
Cingolani, A., 87
Consiglio, G., 79
Corma, A., 215
Cornelissen, J. P., 189
Cox, M. A., 49
Crociani, B., 169

Davies, K. M., 223
Del Pino, C., 215
Di Bianca, F., 169
Dilworth, J. R., 91
Driessen, W. L., 135
Dybowski, C., L49

Elias, H., L43
Ellis, D. E., 195
Evans, D. F., L19

Font-Altaba, M., 153
Frim, R., 95
Fujio, K., L21

García-Blanco, S., 215
Gates, B., L49
Giovenco, A., 169
Glogowski, M., L33
Goher, M. A. S., L13
Goodwin, T. J., 49
Guilani, B., 223

Haasnoot, J. G., 189
Hanaki, A., 147
Hasselbring, L., L49
Hatano, M., L21
Hohl, D., 195
Holt, E. M., 1
Howarth, O. W., L27
Hsieh, T.-C., L31

Iglesias, M., 215

Jain, V. K., 161
Jiaxi Lu, L7
Johnsson, M., 15, 25, 35, 43
Jones, P., 49

Kaushik, N. K., 141
Kinoshita, I., L41
Koch, E., 183
Kohda, K., L45
Krimm, K., L43
Kubiak, C. P., L37
Kuroya, H., L39, L45

Lamb, H., L49
Laurenczy, G., 113
Liangren Huang, L7
Lingjie He, L7
Locher, K., 135
López, C., 153
Lusser, M., 151
Lynch, J. F., 229

Macartney, D. H., 9
Maeda, K., 65
Mahal, G., 203
Mak, T. C. W., L13
Maloney, J. J., L33
Manotti Lanfredi, A. M., 189
Martinez Carrera, S., 215
Matsuzawa, M., L9
Maxwell, J. L., 1
Mestroni, G., 103
Mishra, P., 71
Miwa, M., 65
Miyazaki, T., 65
Morandini, F., 79
Morrison, E., L17
Morton, S., 91
Mukhalati, M., L5

Naik, R. M., 71
Ni, J., L37
Nigam, P. C., 71
Nipp, C. A., 129
Nitsche, H., 121
Nomiya, K., 65

O'Connor, C. J., L29
O'Connor, M., 91
Ogle, K. M., 229
Ohtsuji, A., L45
Ooi, S., L41
Ozawa, T., 147

Peringer, P., 151
Perry, D. L., 229
Persson, I., 15, 25, 35, 43
Portanova, R., 35

Rao, G. S., 161
Reedijk, J., 135, 189
Rheingold, A., L49
Rogers, V., L17
Rohrbach, D. F., L33
Rosch, N., 195

Sachs, C. J., 229
Sasaki, Y., L9
Sheppard, R. N., L19
Shibahara, T., L39, L45
Silver, J., 91
Sodhi, G. W., 141
Solans, X., 153
Stephens, F. S., 49

Takeuchi, A., L39, L45
Tiripicchio, A., 189
Tompkins, J. A., 1
Tornatore, M., 103
Trainor, J. R., L27

Umakoshi, K., L41
Urbach, F. L., L33

Vagg, R. S., 49
van Eldik, R., 203
van Genderen, M., 95

Wagner, F. E., 87

© Elsevier Sequoia/Printed in Switzerland

Wannowius, K. J., L43
Weiss, R., L1
West, D. X., 129
Williams, P. A., 49
Yamase, T., L9
Yu Yang, L7
Zubieta, J., L31

Subject Index of Volume 127

Alcohol compounds
  determination of Gibbs free energy transfer for some univalent ions from water to methanol, acetonitrile, dimethylsulfoxide, pyridine, tetrahydrothiophene and liquid ammonia; standard electrode potentials of some couples in these solvents, 15
  determination of heats and entropies of transfer for some univalent ions from water to methanol, acetonitrile, dimethylsulfoxide, pyridine and tetrahydrothiophene, 25
Alkoxo complexes
  complexes with di-μ-alkoxy-tetrakisphenyl-diazenido-dimolybdenum core, $[Mo_2(NNPh)_4(OR)_2]^{2+}$; synthesis and structural characterization of phenylhydrazino-derivative, $[Mo_2(NNPh)_4(OMe)_4(H_2NNHPh)_2]$, L31
  formation and exchange reaction of vanadium(V) dimer $[V_2O_2(O\text{-}i\text{-}C_3H_7)_7]^-$, L27
Alkyl complexes
  stereochemistry of chiral Ru- and Fe-cyclopentadienyl alkylidenecarbene-diphosphine complexes, 79
Allyl complexes
  reactions of pyridine-2-carbaldimines with chloro-bridged Pd(II) and Pt(II) 2-methylallyl dimers; solution behaviour of cationic complexes $[M(\eta^3\text{-}2\text{-}MeC_3H_4)(py\text{-}2\text{-}CH{=}NR)]^+$, 169
Aluminium complexes
  ^{1}H NMR spectra of 8-quinolinolato complexes of Al(III), Ga(III), In(III) and Tl(III), L19
Amavadine complexes
  N-hydroxy-α,α'-iminodipropionic and *N*-hydroxy-iminodiacetic acid as complexing agents and example for selective coordination of vanadyl ion VO^{2+} in amavadine, 183
Americium complexes
  effects of temperature on solubility and speciation of selected actinides in near-neutral solution, 121
Amine complexes
  Cu(II) complexes of 2-dimethylamino-3-picoline *N*-oxide (3MDM) and 2-diethylamino-3-picoline *N*-oxide (3MDE), 129
  interaction of pyridine with Cu(II) β-diketonates; ^{1}H NMR study, L21
  preparation, characterization and reactivity of series of diethylenetriamine (dien) and substituted dien complexes of Pt(II), 203
  redox behavior of Cu(II) and Cu(I) complexes with tetradentate bis(pyridyl)-dithiaether and bis(pyridyl)-diaza ligands towards Ru ammine and bipyridyl complexes, 223
  synthesis of new Bi organometallic compounds, L5
  synthesis and crystal structure of dinuclear Rh(II) complexes with 1,10-phenanthroline and its 4,7- and 3,4,7,8-methyl derivatives, 103
  visible spectra of complex species $Ni(en)_3^{2+}$, $Ni(en)_2(H_2O)_2^{2+}$ and $Ni(en)(H_2O)_4^{2+}$ from kinetic studies, L43
Amine compounds
  determination of Gibbs free energy of transfer for some univalent ions from water to methanol, acetonitrile, dimethylsulfoxide, pyridine, tetrahydrothiophene and liquid ammonia; standard electrode potentials of some couples in these solvents, 15
  determination of heats and entropies of transfer for some univalent ions from water to methanol, acetonitrile, dimethylsulfoxide, pyridine and tetrahydrothiophene, 25
Amino acid complexes
  stereoselective synthesis of α-aminoacidates, 49
Aquo complexes
  visible spectra of complex species $Ni(en)_3^{2+}$, $Ni(en)_2(H_2O)_2^{2+}$ and $Ni(en)(H_2O)_4^{2+}$ from kinetic studies, L43
Aryl complexes
  organomercury(II) dithiocarbazates; synthesis, characterisation and biological studies, 141

Base complexes
  spectroscopic studies for coordination of Lewis bases to oxochromium(IV) porphyrin, 147
Bidentate ligand complexes
  dinuclear Pd(II) complex of pyridine-2-thiol, L41
  ferromagnetic interactions in dimeric dichloro-[2,2-bis-(2-pyridyl)-1,3-dioxolane]Cu(II), L29
  ^{1}H NMR spectra of 8-quinolinolato complexes of Al(III), Ga(III), In(III) and Tl(III), L19
  interaction of pyridine with Cu(II) β-diketonates; ^{1}H NMR study, L21
  organomercury(II) dithiocarbazates; synthesis, characterisation and biological studies, 141
  Rh complexes with phosphine and diazabutadiene ligands; their properties as hydrogenation catalysts; molecular structure of RhCl(COD)-$P(p\text{-}C_6H_4F)_3$, 215
  structural and spectroscopic aspects of strained dicopper complex with tripodal binucleating ligand, L33
  synthesis and crystal structure of dinuclear Rh(II) complexes with 1,10-phenanthroline and its 4,7- and 3,4,7,8-methyl derivatives, 103

© Elsevier Sequoia/Printed in Switzerland

synthesis and structure of chloro(ligand)bis-(diphenylglyoximato)Co(III) complexes, 153
visible spectra of complex species $Ni(en)_3^{2+}$, $Ni(en)_2(H_2O)_2^{2+}$ and $Ni(en)(H_2O)_4^{2+}$ from kinetic studies, L43
Binuclear complexes
synthesis and characterization of mixed metal A-frame complex; $Pd_2(\mu\text{-}Pt(PPh_3)_2Cl_2(PMe_2\text{-}CH_2PMe_2)_2$, L37
synthesis and crystal structure of dinuclear Rh(II) complexes with 1,10-phenanthroline and its 4,7- and 3,4,7,8-methyl derivatives, 103
Bismuth complexes
synthesis of new Bi organometallic compounds, L5

Carbazone complexes
three coordination modes of pentadentate ligand 2,6-diacetylpyridinedisemicarbazone, 95
Carbonyl complexes
carbon-13 magic-angle spinning NMR investigation of 'site effects' in crystalline $Os_3(CO)_{12}$, L49
Mössbauer spectroscopic investigation of Fe sulphido–carbonyl clusters $[Fe_2(\mu_2\text{-}S)_2(CO)_6]$, $[Fe_3(\mu_3\text{-}S)_2(CO)_9]$ and 1:1 adduct $[Fe_2(\mu_2\text{-}S)_2\text{-}(CO)_6]\cdot[Fe_3(\mu_3\text{-}S)_2(CO)_9]$, 91
reactions of *trans*-$[IrCl(CO)(PPh_3)_2]$ and *trans*-$[RhCl(CO)(PPh_3)_2]$ with organic tetrahalides – oxidative addition and formation of dihaloalkenes, L47
new route to synthesize dinuclear Mo(I) complexes containing SR bridges; synthesis and structure of $Mo_2(CO)_8(SCH_2CO_2Et)_2$, L7
semicarbazone allyl dicarbonyl complexes of Mo(II), L17
Catalysis
catalytic photooxidation of some secondary alcohols by decatungstate isopolyanion and Keggin-type dodecatungstophosphate heteropolyanion in homogenous system under excess of oxygen and effect of counterions on redox cycle of polyanions, 65
mixed chloro–mercapto-bridged dinuclear Pt(II) complexes and their catalytic activity in homogeneous hydrogenation, 161
Cerium complexes
kinetic study of metal ion exchange reations between Ce(III)–1,2-diaminopropane-*N,N,N',N'*-tetraacetate complexes and Co(II), Ni(II), Pb(II) and Cu(II) ions, 113
spectroscopic studies of thermal decomposition products of hydrated cerous oxalate, 229
Chelate complexes
ferromagnetic interactions in dimeric dichloro-[2,2-bis-(2-pyridyl)-1,3-dioxolane]Cu(II), L29
^1H NMR spectra of 8-quinolinolato complexes of Al(III), Ga(III), In(III) and Tl(III), L19
interaction of pyridine with Cu(II) β-diketonates; ^1H NMR study, L21
kinetics and mechanism of pentacyanohydroxoferrate(III) formation from FeL complexes (L = triethylenetetraaminehexaacetic acid and 2-hydroxy-1,3-diaminopropanetetraacetic acid), 71
organomercury(II) dithiocarbazates; synthesis, characterisation and biological studies, 141
preparation, characterization and reactivity of series of diethylenetriamine (dien) and substituted dien complexes of Pt(II), 203
Rh complexes with phosphine and diazabutadiene ligands; their properties as hydrogenation catalysts; molecular structure of $RhCl(COD)\text{-}P(p\text{-}C_6H_4F)_3$, 215
solid state structures of nonemitting complexes of cuprous iodide; $(CuI(methylquinaldate))_x$, $(CuI(isopropylquinaldate))_2$ and $(CuI(n\text{-}butylquinaldate))_2$, 1
synthesis and crystal structure of dinuclear Rh(II) complexes with 1,10-phenanthroline and its 4,7- and 3,4,7,8-methyl derivatives, 103
synthesis and structure of chloro(ligand)bis-(diphenylglyoximato)Co(III) complexes, 153
transition-metal compounds of two tetradentate pyrazole derivatives of piperazine, 135
Chromium complexes
three coordination modes of pentadentate ligand 2,6-diacetylpyridinedisemicarbazone, 95
spectroscopic studies for coordination of Lewis bases to oxochromium(IV) porphyrin, 147
Cluster complexes
carbon-13 magic-angle spinning NMR investigation of 'site effects' in crystalline $Os_3(CO)_{12}$, L49
preparation of incomplete cubane-type sulfur-capped W(IV) aqua ion, $W_3OS_3^{4+}$, and X-ray structure of $K_2[W_3OS_3\{N(CH_2CO_2)_2\text{-}(CH_2CO_2H)\}_3]\cdot KCl\cdot 7H_2O$, L39
structure of $[W_3S_4(H_2O)_9](CH_3\cdot C_6H_4\cdot SO_3)_4\cdot 7H_2O$; first example of X-ray crystal structure analysis of metal-cluster aqua ion, L45
Cobalt complexes
stereoselective synthesis of α-aminoacidates, 49
synthesis and structure of chloro(ligand)bis-(diphenylglyoximato)Co(III) complexes, 153
Copper complexes
crystal structure of polymeric 2:1 complex of nicotinic acid with Cu(I) chloride, L13
Cu(II) complexes of 2-dimethylamino-3-picoline *N*-oxide (3MDM) and 2-diethylamino-3-picoline *N*-oxide (3MDE), 129
determination of heats of solvation of Cu(I) and Ag(I) ions and halide complexes in tetrahydrothiophene, 43
ferromagnetic interactions in dimeric dichloro-[2,2-bis-(2-pyridyl)-1,3-dioxolane]Cu(II), L29
interaction of pyridine with Cu(II) β-diketonates; ^1H NMR study, L21

redox behavior of Cu(II) and Cu(I) complexes with tetradentate bis(pyridyl)-dithiaether and bis(pyridyl)-diaza ligands towards Ru ammine and bipyridyl complexes, 223
solid state structures of nonemitting complexes of cuprous iodide; $(CuI(methylquinaldate))_x$, $(CuI(isopropylquinaldate))_2$ and $(CuI(n\text{-}butylquinaldate))_2$, 1
structural and spectroscopic aspects of strained dicopper complex with tripodal binucleating ligand, L33

Crystal structure(s)
of α-aminoacidates, 49
of chloro(ligand)bis(diphenylglyoximato)Co(III) complexes, 153
of $(CuI(methylquinaldate))_x$, $(CuI(isopropylquinaldate))_2$ and $(CuI(n\text{-}butylquinaldate))_2$, 1
of 2,6-diacetylpyridinedisemicarbazone, 95
dinuclear Pd(II) complex of pyridine-2-thiol, L41
of dinuclear Rh(II) complexes with 1,10-phenanthroline and its 4,7- and 3,4,7,8-methyl derivatives, 103
of $K_2[W_3OS_3\{N(CH_2CO_2)_2(CH_2CO_2H)\}_3]\cdot KCl\cdot 7H_2O$, L39
of $[Mo_2(NNPh)_4(OMe)_4(H_2NNHPh)_2]$, L31
of poly-bis(thiocyanato-*N*)-bis-μ-[1,2,4]triazolo-[1,5-*a*]pyrimidine-N^1,N^3)Fe(II), 189
of polymeric 2:1 complex of nicotinic acid with Cu(I) chloride, L13
of tris(triphenylphosphine)Ag(I)tetrafluoroborate and tris(triphenylphosphine)Ag(I)iodide, 209
of $[W_3S_4(H_2O)_9](CH_3\cdot C_6H_4\cdot SO_3)_4\cdot 7H_2O$, L45

Cyanide complexes
kinetics and mechanism of pentacyanohydroxoferrate(III) formation from FeL complexes (L = triethylenetetraaminehexaacetic acid and 2-hydroxy-1,3-diaminopropanetetraacetic acid), 71

Cyclopentadienyl complexes
stereochemistry of chiral Ru- and Fe-cyclopentadienyl alkylidenecarbene-diphosphine complexes, 79

Diazenido complexes
complexes with di-μ-alkoxy-tetrakisphenyldiazenido-dimolybdenum core, $[Mo_2(NNPh)_4(OR)_2]^{2+}$; synthesis and structural characterization of phenylhydrazino-derivative, $[Mo_2(NNPh)_4(OMe)_4(H_2NNHPh)_2]$, L31

Diazole complexes
^{197}Au Mössbauer investigation of some diazole adducts of Au(I) chloride, 87

Diimine complexes
reactions of pyridine-2-carbaldimines with chloro-bridged Pd(II) and Pt(II) 2-methylallyl dimers; solution behaviour of cationic complexes $[M(\eta^3\text{-}2\text{-}MeC_3H_4)(py\text{-}2\text{-}CH{=}NR)]^+$, 169

Dinuclear complexes
complexes with di-μ-alkoxy-tetrakisphenyldiazenido-dimolybdenum core, $[Mo_2(NNPh)_4(OR)_2]^{2+}$; synthesis and structural characterization of phenylhydrazino-derivative, $[Mo_2(NNPh)_4(OMe)_4(H_2NNHPh)_2]$, L31
dinuclear Pd(II) complex of pyridine-2-thiol, L41
mixed chloro–mercapto-bridged dinuclear Pt(II) complexes and their catalytic activity in homogeneous hydrogenation, 161
new route to synthesize dinuclear Mo(I) complexes containing SR bridges; synthesis and structure of $Mo_2(CO)_8(SCH_2CO_2Et)_2$, L7
structural and spectroscopic aspects of strained dicopper complex with tripodal binucleating ligand, L33

Electrochemistry
determination of Gibbs free energy of transfer for some univalent ions from water to methanol, acetonitrile, dimethylsulfoxide, pyridine, tetrahydrothiophene and liquid ammonia; standard electrode potentials of some couples in these solvents, 15
effect of V^{VI}–OH group on electrochromism of polyoxotungstate film, L9
redox behavior of Cu(II) and Cu(I) complexes with tetradentate bis(pyridyl)-dithiaether and bis(pyridyl)-diaza ligands towards Ru ammine and bipyridyl complexes, 223
synthesis and molecular structure of Kryptofix 222 K phthalocyaninato ferrate, [K ⊂ 222]-[FePc] and (18-crown-6) Li (18-crown-6) (tetrahydrofuran) Li phthalocyaninato ferrate, [Li ⊂ 18c.6] [Li(THF) ⊂ 18c.6] [FePc], L1

Electronic structure(s)
of some diazole adducts of Au(I) chloride, 87
of $[Fe_2(\mu_2\text{-}S)_2(CO)_6]$, $[Fe_3(\mu_3\text{-}S)_2(CO)_9]$ and 1:1 adduct $[Fe_2(\mu_2\text{-}S)_2(CO)_6]\cdot[Fe_3(\mu_3\text{-}S)_2(CO)_9]$, 91

Gallium complexes
^{1}H NMR spectra of 8-quinolinolato complexes of Al(III), Ga(III), In(III) and Tl(III), L19

Gold complexes
^{197}Au Mössbauer investigation of some diazole adducts of Au(I) chloride, 87

Halide complexes
correlation between ^{31}P NMR data and structural parameters on $Ag(PPh_3)_3X$ series; crystal and molecular structure of tris(triphenylphosphine)-Ag(I)tetrafluoroborate and tris(triphenylphosphine)Ag(I)iodide, 209
determination of heats of solvation of Cu(I) and Ag(I) ions and halide complexes in tetrahydrothiophene, 43

equilibrium and enthalpy measurements on Cu(I) and Ag(I) chloride, bromide, iodide and thiocyanate systems in tetrahydrothiophene, 35
Hydroborate complexes
relativistic muffin-tin free Xα molecular orbital study of metal tetrakis tetrahydroborates, $M(BH_4)_4$, M = Zr, U, 195
Hydrogenation
mixed chloro–mercapto-bridged dinuclear Pt(II) complexes and their catalytic activity in homogeneous hydrogenation, 161

Indium complexes
^1H NMR spectra of 8-quinolinolato complexes of Al(III), Ga(III), In(III) and Tl(III), L19
Iridium complexes
reactions of *trans*-$[IrCl(CO)(PPh_3)_2]$ and *trans*-$[RhCl(CO)(PPh_3)_2$ with organic tetrahalides – oxidative addition and formation of dihaloalkenes, L47
Iron complexes
kinetics and mechanism of pentacyanohydroxoferrate(III) formation from FeL complexes (L = triethylenetetraaminehexaacetic acid and 2-hydroxy-1,3-diaminopropanetetraacetic acid), 71
Mössbauer spectroscopic investigation of Fe sulphido–carbonyl clusters $[Fe_2(\mu_2\text{-}S)_2(CO)_6]$, $[Fe_3(\mu_3\text{-}S)_2(CO)_9]$ and 1:1 adduct $[Fe_2(\mu_2\text{-}S)_2(CO)_6]\cdot[Fe_3(\mu_3\text{-}S)_2(CO)_9]$, 91
preparation, spectroscopic and magnetic characterization of new series of two-dimensional transition metal compounds; X-ray structure of poly-bis(thiocyanato-*N*)-bis-μ-[1,2,4]-triazolo[1,5-*a*]pyrimidine-N^1,N^3)Fe(II), 189
stereochemistry of chiral Ru- and Fe-cyclopentadienyl alkylidenecarbene-diphosphine complexes, 79
synthesis and molecular structure of Kryptofix 222 K phthalocyaninato ferrate, [K ⊂ 222]-[FePc], and (18-crown-6) Li (18-crown-6) (tetrahydrofuran) Li phthalocyaninato ferrate, [Li ⊂ 18c.6][Li(THF) ⊂ 18c.6][FePc], L1

Kinetics and mechanism
N-hydroxy-α,α′-iminodipropionic and *N*-hydroxyiminodiacetic acid as complexing agents and example for selective coordination of vanadyl ion VO^{2+} in amavadine, 183
of metal ion exchange reactions between Ce(III)–1,2-diaminopropane-*N,N,N′,N′*-tetraacetate complexes and Co(II), Ni(II), Pb(II) and Cu(II) ions, 113
of oxidation of metal complexes by hexakis(urea)-Mn(III) in acetonitrile, 9
of pentacyanohydroxoferrate(III) formation from FeL complexes (L = triethylenetetraamine-hexaacetic acid and 2-hydroxy-1,3-diaminopropanetetraacetic acid), 71
redox behavior of Cu(II) and Cu(I) complexes with tetradentate bis(pyridyl)-dithiaether and bis(pyridyl)-diaza ligands towards Ru ammine and bipyridyl complexes, 223
spectroscopic studies for coordination of Lewis bases to oxochromium(IV) porphyrin, 147
visible spectra of complex species $Ni(en)_3^{2+}$, $Ni(en)_2(H_2O)_2^{2+}$ and $Ni(en)(H_2O)_4^{2+}$, L43

Magnetism
ferromagnetic interactions in dimeric dichloro-[2,2-bis-(2-pyridyl)-1,3-dioxolane]Cu(II), L29
Manganese complexes
kinetics of oxidation of metal complexes by hexakis(urea)Mn(III) in acetonitrile, 9
Metal complexes
kinetic study of metal ion exchange reactions between Ce(III)–1,2-diaminopropane-*N,N,N′,N′*-tetraacetate complexes and Co(II), Ni(II), Pb(II) and Cu(II) ions, 113
transition-metal compounds of two tetradentate pyrazole derivatives of piperazine, 135
Mercapto complexes
mixed chloro–mercapto-bridged dinuclear Pt(II) complexes and their catalytic activity in homogeneous hydrogenation, 161
Mercury complexes
$[Hg(EPPh_2CHPPh_2)_2$ (E = S, Se, Te); organomercury compounds without Hg–C bonds, 151
organomercury(II) dithiocarbazates; synthesis, characterisation and biological studies, 141
Molecular orbital
relativistic muffin-tin free Xα molecular orbital study of metal tetrakis tetrahydroborates, $M(BH_4)_4$, M = Zr, U, 195
Molecular structure(s)
of Kryptofix 222 K phthalocyaninato ferrate, [K ⊂ 222][FePc], and (18-crown-6) Li (18-crown-6) (tetrahydrofuran) Li phthalocyaninato ferrate, [Li ⊂ 18c.6][Li(THF) ⊂ 18c.6]-[FePc], L1
of $RhCl(COD)P(p\text{-}C_6H_4F)_3$, 215
Molybdenum complexes
complexes with di-μ-alkoxy-tetrakisphenyldiazenido-dimolybdenum core, $[Mo_2(NNPh)_4(OR)_2]^{2+}$; synthesis and structural characterization of phenylhydrazino-derivative $[Mo_2(NNPh)_4(OMe)_4(H_2NNHPh)_2]$, L31
new route to synthesize dinuclear Mo(I) complexes containing SR bridges; synthesis and structure of $Mo_2(CO)_8(SCH_2CO_2Et)_2$, L7
semicarbazone allyl dicarbonyl complexes of Mo(II), L17

Neptunium complexes
effects of temperature on solubility and speciation of selected actinides in near-neutral solution, 121

Nickel complexes
visible spectra of complex species $Ni(en)_3^{2+}$, $Ni(en)_2(H_2O)_2^{2+}$ and $Ni(en)(H_2O)_4^{2+}$ from kinetic studies, L43
Nicotinic acid complexes
crystal structure of polymeric 2:1 complex of nicotinic acid with Cu(I) chloride, L13
Nitrile compounds
determination of Gibbs free energy of transfer for some univalent ions from water to methanol, acetonitrile, dimethylsulfoxide, pyridine, tetrahydrothiophene and liquid ammonia; standard electrode potentials of some couples in these solvents, 15
determination of heats and entropies of transfer for some univalent ions from water to methanol, acetonitrile, dimethylsulfoxide, pyridine and tetrahydrothiophene, 25

Osmium complexes
carbon-13 magic-angle spinning NMR investigation of 'site effects' in crystalline $Os_3(CO)_{12}$, L49
Oxalate complexes
spectroscopic studies of thermal decomposition products of hydrated cerous oxalate, 229
Oxidation
catalytic photooxidation of some secondary alcohols by decatungstate isopolyanion and Keggin-type dodecatungstophosphate heteropolyanion in homogeneous system under excess of oxygen and effect of counterions on redox cycle of polyanions, 65
kinetics of oxidation of metal complexes by hexakis(urea)Mn(III) in acetonitrile, 9
reactions of *trans*-$[IrCl(CO)(PPh_3)_2]$ and *trans*-$[RhCl(CO)(PPh_3)_2]$ with organic tetrahalides – oxidative addition and formation of dihaloalkenes, L47
Oxide complexes
Cu(II) complexes of 2-dimethylamino-3-picoline *N*-oxide (3MDM) and 2-diethylamino-3-picoline *N*-oxide (3MDE), 129
Oxo complexes
catalytic photooxidation of some secondary alcohols by decatungstate isopolyanion and Keggin-type dodecatungstophosphate heteropolyanion in homogeneous system under excess of oxygen and effect of counterions on redox cycle of polyanions, 65
effect of W^{VI}–OH group on electrochromism of polyoxotungstate film, L9
formation and exchange reaction of vanadium(V) dimer $[V_2O_2(O\text{-}i\text{-}C_3H_7)_7]^-$, L27
N-hydroxy-α,α′-iminodipropionic and *N*-hydroxyiminodiacetic acid as complexing agents and example for selective coordination of vanadyl ion VO^{2+} in amavadine, 183
spectroscopic studies for coordination of Lewis bases to oxochromium(IV) porphyrin, 147

Palladium complexes
dinuclear Pd(II) complex of pyridine-2-thiol, L41
reactions of pyridine-2-carbaldimines with chloro-bridged Pd(II) and Pt(II) 2-methylallyl dimers; solution behaviour of cationic complexes $[M(\eta^3\text{-}2\text{-}MeC_3H_4)(py\text{-}2\text{-}CH{=}NR)]^+$, 169
synthesis and characterization of mixed metal A-frame complex; $Pd_2(\mu\text{-}Pt(PPh_3)_2Cl_2\text{-}(PMe_2CH_2PMe_2)_2$, L37
Phosphine complexes
correlation between ^{31}P NMR data and structural parameters on $Ag(PPh_3)_3X$ series; crystal and molecular structure of tris(triphenylphosphine)-Ag(I)tetrafluoroborate and tris(triphenylphosphine)Ag(I)iodide, 209
Photolysis
catalytic photooxidation of some secondary alcohols by decatungstate isopolyanion and Keggin-type dodecatungstophosphate heteropolyanion in homogeneous system under excess of oxygen and effect of counterions on redox cycle of polyanions, 65
Phthalocyanine complexes
synthesis and molecular structure of Kryptofix 222 K phthalocyaninato ferrate, [K ⊂ 222]-[FePc], and (18-crown-6) Li (18-crown-6) (tetrahydrofuran) Li phthalocyaninato ferrate, [Li ⊂ 18c.6] [Li(THF) ⊂ 18c.6] [FePc], L1
Platinum complexes
mixed chloro–mercapto-bridged dinuclear Pt(II) complexes and their catalytic activity in homogeneous hydrogenation, 161
preparation, characterization and reactivity of series of diethylenetriamine (dien) and substituted dien complexes of Pt(II), 203
reactions of pyridine-2-carbaldimines with chloro-bridged Pd(II) and Pt(II) 2-methylallyl dimers; solution behaviour of cationic complexes $[M(\eta^3\text{-}2\text{-}MeC_3H_4)(py\text{-}2\text{-}CH{=}NR)]^+$, 169
synthesis and characterization of mixed metal A-frame complex; $Pd_2(\mu\text{-}Pt(PPh_3)_2Cl_2(PMe_2\text{-}CH_2PMe_2)_2$, L37
Plutonium complexes
effects of temperature on solubility and speciation of selected actinides in near-neutral solution, 121
Polydentate ligand complexes
kinetic study of metal ion exchange reactions between Ce(III)–1,2-diaminopropane-*N*,*N*,*N*′,*N*′-tetraacetate complexes and Co(II), Ni(II), Pb(II) and Cu(II) ions, 113
kinetics and mechanism of penta cyanohydroxoferrate(III) formation from FeL complexes (L = triethylenetetraaminehexaacetic acid and 2-hydroxy-1,3-diaminopropanetetraacetic acid), 71

solid state structures of nonemitting complexes of cuprous iodide; $(CuI(methylquinaldate))_x$, $(CuI(isopropylquinaldate))_2$ and $(CuI(n\text{-}butylquinaldate))_2$, 1
three coordination modes of pentadentate ligand 2,6-diacetylpyridinedisemicarbazone, 95
transition-metal compounds of two tetradentate derivatives of piperazine, 135
Polymeric complexes
crystal structure of polymeric 2:1 complex of nicotinic acid with Cu(I) chloride, L13
Polynuclear complexes
Mössbauer spectroscopic investigation of Fe sulphido–carbonyl clusters $[Fe_2(\mu_2\text{-}S)_2(CO)_6]$, $[Fe_3(\mu_3\text{-}S)_2(CO)_9]$ and 1:1 adduct $[Fe_2(\mu_2\text{-}S)_2(CO)_6]\cdot[Fe_3(\mu_3\text{-}S)_2(CO)_9]$, 91
preparation, spectroscopic and magnetic characterization of new series of two-dimensional transition metal compounds; X-ray structure of poly-bis(thiocyanato-*N*)-bis-μ-[1,2,4]triazolo-[1,5-*a*]pyrimidine-N^1,N^3)Fe(II), 189
Porphyrin complexes
spectroscopic studies for coordination of Lewis bases to oxochromium(IV) porphyrin, 147

Rhodium complexes
reactions of *trans*-$[IrCl(CO)(PPh_3)_2]$ and *trans*-$[RhCl(CO)(PPh_3)_2]$ with organic tetrahalides – oxidative addition and formation of dihaloalkenes, L47
Rh complexes with phosphine and diazabutadiene ligands; their properties as hydrogenation catalysts; molecular structure of $RhCl(COD)P(p\text{-}C_6H_4F)_3$, 215
synthesis and crystal structure of dinuclear Rh(II) complexes with 1,10-phenanthroline and its 4,7- and 3,4,7,8-methyl derivatives, 103
Ruthenium complexes
redox behavior of Cu(II) and Cu(I) complexes with tetradentate bis(pyridyl)-dithiaether and bis(pyridyl)-diaza ligands towards Ru ammine and bipyridyl complexes, 223
stereochemistry of chiral Ru- and Fe-cyclopentadienyl alkylidenecarbene-diphosphine complexes, 79

Semicarbazone complexes
semicarbazone allyl dicarbonyl complexes of Mo(II), L17
Silver complexes
correlation between ^{31}P NMR data and structural parameters on $Ag(PPh_3)_3X$ series; crystal and molecular structure of tris(triphenylphosphine)-Ag(I)tetrafluoroborate and tris(triphenylphosphine)Ag(I)iodide, 209
determination of heats of solvation of Cu(I) and Ag(I) ions and halide complexes in tetrahydrothiophene, 43
equilibrium and enthalpy measurements on Cu(I) and Ag(I) chloride, bromide, iodide and thiocyanate systems in tetrahydrothiophene, 35
Solid-state NMR
carbon-13 magic-angle spinning NMR investigation of 'site effects' in crystalline $Os_3(CO)_{12}$, L49
Solubility
effects of temperature on solubility and speciation of selected actinides in near-neutral solution, 121
Sulfur compounds
determination of heats and entropies of transfer for some univalent ions from water to methanol, acetonitrile, dimethylsulfoxide, pyridine and tetrahydrothiophene, 25
$[Hg(EPPh_2CHPPh_2)_2]$ (E = S, Se, Te); organomercury compounds without Hg–C bonds, 151
preparation of incomplete cubane-type sulfur-capped W(IV) aqua ion, $W_3OS_3^{4+}$, and X-ray structure of $K_2[W_3OS_3\{N(CH_2CO_2)_2(CH_2CO_2H)\}_3]\cdot KCl\cdot 7H_2O$, L39
structure of $[W_3S_4(H_2O)_9](CH_3\cdot C_6H_4\cdot SO_3)_4\cdot 7H_2O$; first example of X-ray crystal structure analysis of metal-cluster aqua ion, L45
Sulphido complexes
Mössbauer spectroscopic investigation of Fe sulphido–carbonyl clusters $[Fe_2(\mu_2\text{-}S)_2(CO)_6]$, $[Fe_3(\mu_3\text{-}S)_2(CO)_9]$ and 1:1 adduct $[Fe_2(\mu_2\text{-}S)(CO)_6]\cdot[Fe_3(\mu_3\text{-}S)_2(CO)_9]$, 91
Stereochemistry
of chiral Ru- and Fe-cyclopentadienyl alkylidene-carbene-diphosphine complexes, 79

Tellurium complexes
$[Hg(EPPh_2CHPPh_2)_2$ (E = S, Se, Te); organomercury compounds without Hg–C bonds, 151
Thallium complexes
^1H NMR spectra of 8-quinolinolato complexes of Al(III), Ga(III), In(III) and Tl(III), L19
Thermodynamics
determination of
Gibbs free energy of transfer for some univalent ions from water to methanol, acetonitrile, dimethylsulfoxide, pyridine, tetrahydrothiophene and liquid ammonia; standard electrode potentials of some couples in these solvents, 15
heats and entropies of transfer for some univalent ions from water to methanol, acetonitrile, dimethylsulfoxide, pyridine and tetrahydrothiophene, 25
heats of solvation of Cu(I) and Ag(I) ions and halide complexes in tetrahydrothiophene, 43
equilibrium and enthalpy measurements on Cu(I) and Ag(I) chloride, bromide, iodide and thiocyanate systems in tetrahydrothiophene, 35

Thiocyanate complexes
equilibrium and enthalpy measurements on Cu(I) and Ag(I) chloride, bromide, iodide and thiocyanate systems in tetrahydrothiophene, 35
Thiocyanato complexes
preparation, spectroscopic and magnetic characterization of new series of two-dimensional transition metal compounds; X-ray structure of poly-bis(thiocyanato-*N*)-bis-μ-[1,2,4]triazolo-[1,5-*a*]pyrimidine-N^1, N^3)Fe(II), 189
Thiol complexes
new route to synthesize dinuclear Mo(I) complexes containing SR bridges; synthesis and structure of $Mo_2(CO)_8(SCH_2CO_2Et)_2$, L7
Tungsten complexes
catalytic photooxidation of some secondary alcohols by decatungstate isopolyanion and Keggin-type dodecatungstophosphate heteropolyanion in homogeneous system under excess of oxygen and effect of counterions on redox cycle of polyanions, 65
effect of W^{VI}–OH group on electrochromism of polyoxotungstate film, L9
preparation of incomplete cubane-type sulfur-capped W(IV) aqua ion, $W_3OS_3^{4+}$, and X-ray structure of $K_2[W_3OS_3\{N(CH_2CO_2)_2(CH_2CO_2H)\}_3]\cdot KCl\cdot 7H_2O$, L39
structure of $[W_3S_4(H_2O)_9](CH_3\cdot C_6H_4\cdot SO_3)_4\cdot 7H_2O$; first example of X-ray crystal structure analysis of metal-cluster aqua ion, L45

Uranium complexes
relativistic muffin-tin free Xα molecular orbital study of metal tetrakis tetrahydroborates, $M(BH_4)_4$, M = Zr, U, 195
Urea complexes
kinetics of oxidation of metal complexes by hexakis(urea)Mn(III) in acetonitrile, 9

Vanadium complexes
formation and exchange reaction of vanadium(V) dimer $[V_2O_2(O\text{-}i\text{-}C_3H_7)_7]^-$, L27
N-hydroxy-α,α'-iminodipropionic and *N*-hydroxyiminodiacetic acid as complexing agents and example for selective coordination of vanadyl ion VO^{2+} in amavadine, 183

Zirconium complexes
relativistic muffin-tin free Xα molecular orbital study of metal tetrakis tetrahydroborates, $M(BH_4)_4$, M = Zr, U, 195